



| standard or flanged | Dimension (mm) | | | Designation/Type | | | | | |
|------------------------|----------------|-----|-----|------------------|-----------|--------------|---------------|--------------|-----------|
| | d | D | B | open | | 2Z | | 2RS/2TS | |
| | | | | Chrome Steel | Stainless | Chrome Steel | Stainless | Chrome Steel | Stainless |
| standard | 1.0 | 3.0 | 1.0 | 681 | S681 | - | - | - | - |
| flanged | 1.0 | 3.0 | 1.0 | F 681 | SF 681 | - | - | - | - |
| standard | 1.0 | 4.0 | 1.6 | 691 | S691 | - | - | - | - |
| flanged | 1.0 | 4.0 | 1.6 | F 691 | SF 691 | - | - | - | - |
| standard | 1.2 | 4.0 | 2.5 | - | - | MR 41X-2Z | SMR 41X-2Z | - | - |
| standard | 1.5 | 4.0 | 1.2 | 681X | S681X | - | - | - | - |
| flanged | 1.5 | 4.0 | 1.2 | F 681X | SF 681X | - | - | - | - |
| standard | 1.5 | 4.0 | 2.0 | - | - | 681X-2Z | S681X-2Z | - | - |
| flanged | 1.5 | 4.0 | 2.0 | - | - | F 681X-2Z | SF 681X-2Z | - | - |
| standard | 1.5 | 5.0 | 1.7 | X 1.5 | SX 1.5 | - | - | - | - |
| standard | 1.5 | 5.0 | 2.0 | 691X | S691X | - | - | - | - |
| flanged | 1.5 | 5.0 | 2.0 | F 691X | SF 691X | - | - | - | - |
| standard | 1.5 | 5.0 | 2.6 | - | - | 691X-2Z | S691X-2Z | - | - |
| flanged | 1.5 | 5.0 | 2.6 | - | - | F 691X-2Z | SF 691X-2Z | - | - |
| standard | 1.5 | 6.0 | 2.5 | 601X | S601X | - | - | - | - |
| flanged | 1.5 | 6.0 | 2.5 | F 601X | SF 601X | - | - | - | - |
| standard | 1.5 | 6.0 | 3.0 | - | - | 601X-2Z | S601X-2Z | - | - |
| flanged | 1.5 | 6.0 | 3.0 | - | - | F 601X-2Z | SF 601X-2Z | - | - |
| standard | 2.0 | 4.0 | 1.2 | 672 | S672 | - | - | - | - |
| standard | 2.0 | 5.0 | 1.5 | 682 | S682 | - | - | - | - |
| flanged | 2.0 | 5.0 | 1.5 | F 682 | SF 682 | - | - | - | - |
| standard | 2.0 | 5.0 | 2.0 | MR 52 | SMR 52 | - | - | - | - |
| standard | 2.0 | 5.0 | 2.3 | - | - | 682-2Z | S682-2Z | - | - |
| flanged | 2.0 | 5.0 | 2.3 | - | - | F 682-2Z | SF 682-2Z | - | - |
| standard | 2.0 | 5.0 | 2.5 | - | - | MR 52-2Z | SMR 52-2Z | - | - |
| flanged | 2.0 | 5.0 | 2.5 | - | - | MF 52-2Z | SMF 52-2Z | - | - |
| standard | 2.0 | 6.0 | 2.3 | 692 | S692 | 692-2ZW2.3 | S692-2ZW2.3 | - | - |
| flanged | 2.0 | 6.0 | 2.3 | F 692 | SF 692 | F 692-2ZW2.3 | SF 692-2ZW2.3 | - | - |
| standard | 2.0 | 6.0 | 2.5 | MR 62 | SMR 62 | MR 62-2Z | SMR 62-2Z | - | - |
| flanged | 2.0 | 6.0 | 2.5 | MF 62 | SMF 62 | MF 62-2Z | SMF 62-2Z | - | - |
| standard | 2.0 | 6.0 | 3.0 | - | - | 692-2Z | S692-2Z | - | - |
| flanged | 2.0 | 6.0 | 3.0 | - | - | F 692-2Z | SF 692-2Z | - | - |

| * Load Rating (only 100 Cr6) | | * Limiting Speed x1000rpm (open & 2Z) | | Standard cage type Others on request | Mass (g) approx. |
|------------------------------|------------|--|-------|--|------------------|
| C, dyn. N | C, stat. N | Grease | Oil | | |
| 96 | 26 | 130.0 | 150.0 | W | < 1 g |
| 96 | 26 | 130.0 | 150.0 | W | < 1 g |
| 141 | 37 | 100.0 | 120.0 | W | < 1 g |
| 141 | 37 | 100.0 | 120.0 | W | < 1 g |
| 112 | 33 | 110.0 | 130.0 | W | < 1 g |
| 112 | 33 | 100.0 | 120.0 | W | < 1 g |
| 112 | 33 | 100.0 | 120.0 | W | < 1 g |
| 112 | 33 | 100.0 | 120.0 | W | < 1 g |
| 112 | 33 | 100.0 | 120.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 124 | 40 | 91.0 | 104.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W,J | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W,J | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W,J | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W,J | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 169 | 50 | 85.0 | 100.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |
| 330 | 99 | 75.0 | 90.0 | W | < 1 g |